

Wednesday, 12/11/2008 10:58:07 AM Date User: Linda Lacelle **Process Sheet** : HANDLE : CU-DAR001 Dart Helicopters Services **Drawing Name** Customer Job Number : 43335 : 11208 **Estimate Number** : D333015 **Part Number** P.O. Number - D3330 REV D : 12/11/2008 S.O. No. : **Drawing Number** This Issue : N/A **Project Number** Prsht Rev. : NC € D : // : LARGE FAB ASSY **Drawing Revision** First Issue Type : 43189 Material **Previous Run** : 19/11/2008 Each **Due Date** Written By **Checked & Approved By** Comment New issue KJ/JLM A 05.01.13 est B 07.05.14 rev C dwg est C 07.12.12 rev D dwg EC veryfied by:DD **Additional Product** Job Number: Description: Seq. #: 1.0 M1018R0375 1010-1025 round bar .375 3.4997 f(s) Comment: Qty.: 0.6999 f(s)/Unit Total: 1010-1025 Steel Bar Material: AISI 1018-1025 0.375" Round Bar cut 8.00"long. (M1018-R0.375) Identify as D3330-15 Batch: M106996 2.0 Comment: LARGE FABRICATION RESOURCE 1 Fabricate handle as per Dwg D3330 Deburr QC5 3.0

Comment: INSPECT WORK TO CURRENT STEP

PACKAGING ' 4.0

PACKAGING RESOURCE #1

Comment: PACKAGING RESOURCE #1

Identify and Stock Location:



ospace	Liu								
		WO	RK ORDER CHANG	ES					
STEP	PRO	OCEDURE CHAN	IGE	Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector	
								İ	
		÷							
				3				·	
•	PAR #:	Fault Categ	ory:	_ NCR: Ye	s No DO	QA:	Date: _		
Re	esolution:	Disposition	:	_ QA: N/C	Closed: _		Date: _		
		WORK ORDE	R NON-CONFORM	ANCE (NO	R)	· <u>-</u>			
	Description of NC	Corrective Action		on B Verification		Approval Approv	Approval		
STEP	Section A	Initial Chief Eng	Action Description Chief Eng		ı&∖ _{Ser}			Chief Eng	QC Inspector
			·		į				
							3		
	STEP	STEP PRO PRO PAR #: Resolution: Description of NC	STEP PROCEDURE CHAN PAR #: Fault Category Resolution: Disposition WORK ORDE STEP Description of NC Section A Initial	STEP PROCEDURE CHANGE :PAR #: Fault Category: Resolution: Disposition: WORK ORDER NON-CONFORM STEP Description of NC Section A Corrective Action Sectors Action Description	STEP PROCEDURE CHANGE By :PAR #: Fault Category: NCR: Yes Resolution: Disposition: QA: N/C WORK ORDER NON-CONFORMANCE (NC STEP Description of NC Section A	WORK ORDER CHANGES STEP PROCEDURE CHANGE By Date :PAR #:Fault Category:NCR: Yes No DO Resolution:Disposition:QA: N/C Closed: WORK ORDER NON-CONFORMANCE (NCR) STEP Description of NC Section A Section B Section B Section A Section B Section A Section Description Sign & Section A Section Description Sign & Section A Section Description Sign & Section B Section B Section A Section Description Sign & Section B Sect	WORK ORDER CHANGES STEP PROCEDURE CHANGE By Date Qty :PAR #:Fault Category:NCR: Yes No DQA: Resolution:Disposition:QA: N/C Closed: WORK ORDER NON-CONFORMANCE (NCR) STEP Description of NC	STEP PROCEDURE CHANGE By Date Qty Chief Eng / Prod Mgr :PAR #: Fault Category: NCR: Yes No DQA: Date: Resolution: Disposition: QA: N/C Closed: Date: WORK ORDER NON-CONFORMANCE (NCR) STEP Description of NC	

NOTE: Date & initial all entries

Date: User:

Wednesday, 12/11/2008 10:58:07 AM

Linda Lacelle

Process Sheet

Customer: CU-DAR001 Dart Helicopters Services

Drawing Name: HANDLE

Job Number: 43335

Part Number: D333015

Job Number:



Seq. #:

Machine Or Operation:

Description:

5.0

QC21



FINAL INSPECTION/W/O RELEASE

08/11/13/

Comment: FINAL INSPECTION/W/O RELEASE

Job Completion




u 8,11.13

Dart Aerospace Ltd

Dait Ac	OSPACE	Liu							
W/O:			WO	RK ORDER CHANGE	S				
DATE	STEP	PRO	OCEDURE CHAI	NGE	Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector
Part No	:	PAR #:	Fault Cate	gory:	NCR: Yes	No DQA	ı:	Date:	
	Re	esolution:	Disposition	n:	QA: N/C CI	osed:		Date: _	
NCR:		V	WORK ORDE	ER NON-CONFORMA	NCE (NCR)			
DATE	STEP	Description of NC		Corrective Action Section		Verifica	ation	Approval	Approval
DATE	SIEF	Section A	Initial Chief Eng	Action Description Chief Eng	Sign & Date	Sectio		Chief Eng	QC Inspector

NOTE: Date & initial all entries



D3330-041 FRAME WELDMENT

NOTES:


- 1) POSITION PARTS AS PER JIG D3330-041T1
- 2) WELD PER QSI 004
- 3) FINISH: POWDER COAT PAINT FIRE RED (4.3.5.10) PER DART QSI 005 4.3 4) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED 5) ALL DIMENSIONS ARE IN INCHES

- 6) BREAK ALL SHARP EDGES 0.010 TO 0.020

COPYRIGHT © 2004 BY DART AEROSPACE LTD



DESIGN	DRAWN BY	DART AEROS HAWKESBURY, ONT.	
CHECKED	APPROVED	DRAWING NO.	REV. D
<u>\$</u>	IN	D3330	SHEET 2 OF 9
DATE		TITLE	SCALE
07.12.06		FRAME WELDMENT	1:4



NOTES:


- 1) MATERIAL: AISI 1010-1025 OR ASTM A36/A366/A1008 OR CSA G40-21, 38W/44W/50W/60W/70W SERIES STEEL 11 GAUGE (0.125 THICK)
- 2) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 3) ALL DIMENSIONS ARE INCHES
- 4) BREAK ALL SHARP EDGES 0.005 TO 0.010

Copyright © 2004 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.



DESIGN	DRAWN BY	DART AEROSP HAWKESBURY, ONTAR	
CHECKED	APPROVED)	DRAWING NO.	REV. D
1 13	M	D3330	SHEET 3 OF 9
DATE		TITLE	SCALE
07.12.06		FRAME WELDMENT	1:4



D3330-1 BEND DETAIL (SHOWN)


BEND D3330-2 (OPPOSITE)


Copyright © 2004 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.



DESIGN	DRAWN BY	DART AEROSF HAWKESBURY, ONTAI	
CHECKED	APPROVED	DRAWING NO.	REV. D
1 13	1 WA	D3330	SHEET 4 OF 9
DATE		TITLE	SCALE
07.12.06		FRAME WELDMENT	1:4





D3330-3 PLATE

MOURARA

NOTES:


- 1) MATERIAL: AISI 1010-1025 OR ASTM A36/A366/A1008 OR CSA G40-21, 38W/44W/50W/60W/70W SERIES STEEL 11 GAUGE (0.125 THICK)
- 2) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 3) ALL DIMENSIONS ARE IN INCHES
- 4) BREAK ALL SHARP EDGES 0.005 TO 0.010

Copyright @ 2004 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.



DESIGN 3	DRAWN BY	DART AEROS HAWKESBURY, ONT	
CHECKED	APPROVED /	DRAWING NO.	REV. D
1 3	M	D3330	SHEET 5 OF 9
DATE		TITLE	SCALE
07.12.06		FRAME WELDMENT	1:4



NOTES:


- 1) MATERIAL: AISI 1010-1025 OR ASTM A36/A366/A1008 OR CSA G40-21, 38W/44W/50W/60W/70W SERIES STEEL 11 GAUGE (0.125 THICK)
- 2) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 3) ALL DIMENSIONS ARE IN INCHES
- 4) BREAK ALL SHARP EDGES 0.005 TO 0.010

Copyright © 2004 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.



DESIGN	DRAWN BY	DART AEROS HAWKESBURY, ONT	
CHECKED	APPROVED	DRAWING NO.	REV. D
1 (3	1 Mg	D3330	SHEET 6 OF 9
DATE		TITLE	SCALE
07.12.06		FRAME ASSEMBLY	1:4




NOTES:


- 1) MATERIAL: AISI 1010-1025 OR ASTM A36/A366/A1008 OR CSA G40-21, 38W/44W/50W/60W/70W SERIES STEEL 11 GAUGE (0.125 THICK)
- 2) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 3) ALL DIMENSIONS ARE IN INCHES
- 4) BREAK ALL SHARP EDGES 0.005 TO 0.010


Copyright @ 2004 by DART AEROSPACE LTD



DESIGN	DRAWN BY	DART AEROS HAWKESBURY, ONTA	
CHECKED	APPROVED W	DRAWING NO.	REV. D SHEET 7 OF 9
DATE	<u> </u>	TITLE	SCALE
07.12.06		FRAME WELDMENT	1:2







↑ D3330-9 TOP PLATE


<u>↑ D3330-15 HANDLE</u>




- 1) MATERIAL: AISI 1010-1025 OR ASTM A36/A366/A1008, 0.375 STEEL (REF. DART SPEC. M1010-B0.375x3.500)
- 2) MATERIAL: AISI 1018-1025 ROUND BAR PER MIL-S-7097 (REF. DART SPEC. M1018-R0.375)
- 3) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) ALL DIMENSIONS ARE IN INCHES
- 5) BREAK ALL SHARP EDGES 0.005 TO 0.010


Copyright @ 2004 by DART AEROSPACE LTD







D3330-17 HANDLE SOCKET




NOTES:


- 1) MATERIAL: 1010-1025 ROUND BAR STEEL PER MILL-S-7097 (REF. DART SPEC. M1025TR)
- 2) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 3) ALL DIMENSIONS ARE INCHES
- 4) BREAK ALL SHARP EDGES 0.005 TO 0.010


Copyright © 2004 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.










D3330-13 SHORT PIN BRACKET



SECTION C-C

D3330-11 LONG PIN BRACKET



NOTES:

- 1) MATERIAL: AISI 1010-1025 OR ASTM A36/A366/A569/A570, 1.000 THICK STEEL (REF. DART SPEC. M1010-B1.000x02.250)
- 2) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 3) ALL DIMENSIONS ARE INCHES
- 4) BREAK ALL SHARP EDGES 0.005 TO 0.010

Copyright © 2004 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.